

SAFETY DATA SHEET

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Rubber Cement
 Product number 380155
 Internal identification 380155

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Adhesive.
 Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier Toolstream Ltd
 Boundary Way
 Lufton Trading Est
 Yeovil
 Ba22 8hz
 01935 832222
 compliance@toolstream.com

Contact person Regulatory Dept

1.4. Emergency telephone number

National emergency telephone number In the event of an incident please contact your local or national emergency service.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)
 Physical hazards Not Classified
 Health hazards Muta. 1B - H340 Carc. 1B - H350
 Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H340 May cause genetic defects.
 H350 May cause cancer.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P308+P313 IF exposed or concerned: Get medical advice/ attention.
 P405 Store locked up.
 P501 Dispose of contents/ container in accordance with national regulations.

Contains Ligroine

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Ligroine CAS number: 8032-32-4	EC number: 232-453-7	30-60%
Classification Muta. 1B - H340 Carc. 1B - H350 Asp. Tox. 1 - H304		
Natural Rubber CAS number: 9003-31-0		10-30%
Classification Not Classified		
Phenloic Resin CAS number: 9003-35-4		10-30%
Classification Not Classified		
Terpene thin resin CAS number: 586-62-9		5-10%
Classification Not Classified		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Not considered to be a significant hazard due to the small quantities used. Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.
Skin contact	Rinse with water. If adhesive bonding occurs, do not force skin apart.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues. If adhesive bonding occurs, do not force eyelids apart.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Not considered to be a significant hazard due to the small quantities used.
---------------------	---

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Inhalation	During application and drying, solvent vapours will be emitted. Vapours in high concentrations are narcotic. Prolonged or repeated exposure may cause the following adverse effects: May cause cancer.
Ingestion	Prolonged or repeated exposure may cause the following adverse effects: May cause cancer.
Skin contact	Bonds skin and eyes in seconds. Prolonged or repeated exposure may cause the following adverse effects: May cause cancer.
Eye contact	Bonds skin and eyes in seconds.
4.3. Indication of any immediate medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Not considered to be a significant hazard due to the small quantities used.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Bonds skin and eyes in seconds.
----------------------	---

6.2. Environmental precautions

Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.
---------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Wipe up with an absorbent cloth and dispose of waste safely. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.
-------------------------	--

6.4. Reference to other sections

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. May cause cancer. May cause genetic defects. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers. Bonds skin and eyes in seconds.

Advice on general occupational hygiene Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store away from incompatible materials (see Section 10). Store locked up. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

Storage class Miscellaneous hazardous material storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

8.2. Exposure controls

Protective equipment



Appropriate engineering controls Provide adequate ventilation.

Eye/face protection Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

Other skin and body protection Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

Respiratory protection No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.

Environmental exposure controls Keep container tightly sealed when not in use. Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Colour	Beige.
Odour	Almost odourless.
Odour threshold	No information available.
pH	No information available.
Melting point	20°C
Initial boiling point and range	35°C
Flash point	No information available.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	The product is not flammable.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	No information available.
Bulk density	No information available.
Solubility(ies)	No information available.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	Non-Explosive
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Non Oxidising

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity See the other subsections of this section for further details.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Summary Based on available data the classification criteria are not met.

Acute toxicity - dermal

Summary Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Summary Based on available data the classification criteria are not met.

Skin corrosion/irritation

Summary Based on available data the classification criteria are not met.

Serious eye damage/irritation

Summary Based on available data the classification criteria are not met.

Respiratory sensitisation

Summary Based on available data the classification criteria are not met.

Skin sensitisation

Summary Based on available data the classification criteria are not met.

Germ cell mutagenicity

Summary May cause genetic defects.

Carcinogenicity

Summary May cause cancer.

IARC carcinogenicity

None of the ingredients are listed or exempt.

Reproductive toxicity

Summary Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

Summary Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Summary Based on available data the classification criteria are not met.

Aspiration hazard

Summary Based on available data the classification criteria are not met.

General information

May cause cancer after repeated exposure. Risk of cancer depends on duration and level of exposure. May cause genetic defects. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation

During application and drying, solvent vapours will be emitted. Vapours in high concentrations are narcotic.

Ingestion

May cause discomfort if swallowed.

Skin contact

Bonds skin and eyes in seconds.

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Eye contact	Bonds skin and eyes in seconds.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.

Toxicological information on ingredients.

Ligroine

Acute toxicity - oral	
Summary	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Summary	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Summary	Based on available data the classification criteria are not met.
Skin sensitisation	
Summary	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Summary	May cause genetic defects.
Carcinogenicity	
Summary	May cause cancer.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity - single exposure	
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity - repeated exposure	
Summary	Based on available data the classification criteria are not met.
Aspiration hazard	
Summary	May be fatal if swallowed and enters airways. Pneumonia may be the result if vomited material containing solvents reaches the lungs.
General information	May cause cancer after repeated exposure. Risk of cancer depends on duration and level of exposure. May cause genetic defects. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Temporary irritation.
Ingestion	Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Skin contact	May cause discomfort.
Eye contact	May be slightly irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.

Natural Rubber

Acute toxicity - oral	
Summary	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Summary	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Summary	Based on available data the classification criteria are not met.
Skin sensitisation	
Summary	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Summary	Based on available data the classification criteria are not met.
Carcinogenicity	
Summary	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity - single exposure	
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity - repeated exposure	
Summary	Based on available data the classification criteria are not met.
Aspiration hazard	
Summary	Not relevant. Solid.
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Temporary irritation.
Ingestion	May cause discomfort if swallowed.
Skin contact	Prolonged contact may cause dryness of the skin.

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Eye contact	May be slightly irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
Phenloic Resin	
Acute toxicity - oral	
Summary	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Summary	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Summary	Based on available data the classification criteria are not met.
Skin sensitisation	
Summary	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Summary	Based on available data the classification criteria are not met.
Carcinogenicity	
Summary	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity - single exposure	
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity - repeated exposure	
Summary	Based on available data the classification criteria are not met.
Aspiration hazard	
Summary	Not relevant. Solid.
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Temporary irritation.
Ingestion	May cause discomfort if swallowed.
Skin contact	Prolonged contact may cause dryness of the skin.
Eye contact	May be slightly irritating to eyes.

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
	Terpene thin resin
Acute toxicity - oral	
Summary	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Summary	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Summary	Based on available data the classification criteria are not met.
Skin sensitisation	
Summary	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Summary	Based on available data the classification criteria are not met.
Carcinogenicity	
Summary	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity - single exposure	
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity - repeated exposure	
Summary	Based on available data the classification criteria are not met.
Aspiration hazard	
Summary	Based on available data the classification criteria are not met.
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Temporary irritation.
Ingestion	May cause discomfort if swallowed.
Skin contact	May cause discomfort.
Eye contact	May be slightly irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Target organs No specific target organs known.

SECTION 12: Ecological information

Ecotoxicity Not considered to be a significant hazard due to the small quantities used.

Ecological information on ingredients.

Ligroine

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

Natural Rubber

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

Phenolic Resin

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

Terpene thin resin

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Acute aquatic toxicity

Summary

Based on available data the classification criteria are not met.

Chronic aquatic toxicity

Summary

Harmful to aquatic life with long lasting effects.

Ecological information on ingredients.

Ligroine

Acute aquatic toxicity

Summary

Based on available data the classification criteria are not met.

Chronic aquatic toxicity

Summary

Based on available data the classification criteria are not met.

Natural Rubber

Acute aquatic toxicity

Summary

Based on available data the classification criteria are not met.

Chronic aquatic toxicity

Summary

Based on available data the classification criteria are not met.

Phenolic Resin

Acute aquatic toxicity

Summary

Based on available data the classification criteria are not met.

Chronic aquatic toxicity

Summary

Based on available data the classification criteria are not met.

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Terpene thin resin

Acute aquatic toxicity

Summary

Based on available data the classification criteria are not met.

Chronic aquatic toxicity

Summary

Based on available data the classification criteria are not met.

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

Ligroine

Persistence and degradability The degradability of the product is not known.

Natural Rubber

Persistence and degradability The degradability of the product is not known.

Phenolic Resin

Persistence and degradability The degradability of the product is not known.

Terpene thin resin

Persistence and degradability The degradability of the product is not known.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

Ligroine

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not applicable.

Natural Rubber

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

Phenolic Resin

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient log Pow: 3.564

Terpene thin resin

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient log Pow: 4.33-4.38

12.4. Mobility in soil

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Mobility No data available.

Ecological information on ingredients.

Ligroine

Mobility No data available.

Natural Rubber

Mobility No data available.

Phenolic Resin

Mobility No data available.

Terpene thin resin

Mobility No data available.

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

Ligroine

Other adverse effects None known.

Natural Rubber

Other adverse effects None known.

Phenolic Resin

Other adverse effects None known.

Terpene thin resin

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Disposal methods

Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information

Rubber Cement

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Abbreviations and acronyms used in the safety data sheet	<p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</p> <p>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.</p> <p>IATA: International Air Transport Association.</p> <p>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>CAS: Chemical Abstracts Service.</p> <p>ATE: Acute Toxicity Estimate.</p> <p>LC₅₀: Lethal Concentration to 50 % of a test population.</p> <p>LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).</p> <p>EC₅₀: 50% of maximal Effective Concentration.</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p>
Classification abbreviations and acronyms	<p>Carc. = Carcinogenicity</p> <p>Muta. = Germ cell mutagenicity</p> <p>Aquatic Chronic = Hazardous to the aquatic environment (chronic)</p>
General information	This product is considered to be a small package and is labelled according to the relevant provisions of the legislation.
Classification procedures according to Regulation (EC) 1272/2008	Muta. 1B - H340: Carc. 1B - H350: : Calculation method. Aquatic Chronic 3 - H412: : Calculation method.
Training advice	Read and follow manufacturer's recommendations.
Revision date	24/05/2019
Revision	1
SDS number	137
Hazard statements in full	<p>H304 May be fatal if swallowed and enters airways.</p> <p>H340 May cause genetic defects.</p> <p>H350 May cause cancer.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.